

## REPORT DOCUMENTATION PAGE

AFRL-SR-AR-TR-04-

Public reporting burden for this collection of information is estimated to average 1 hour per response, including gathering and maintaining the data needed, and completing and reviewing the collection of information. Send collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Project, Washington, DC 20503.

0208

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT
		01 APR 2001 - 29 FEB 2004 FINAL
4. TITLE AND SUBTITLE Antiprotons and Antihydrogen		5. FUNDING NUMBERS 61102F 2301/DX
6. AUTHOR(S) Professor Gabrielse		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) HARVARD UNIVERSITY 1350 MASSACHUSETTS AVENUE HOLYOKE CENTER, FOURTH FLOOR CAMBRIDGE MA 02138-3826		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 4015 WILSON BLVD SUITE 713 ARLINGTON VA 22203		10. SPONSORING/MONITORING AGENCY REPORT NUMBER  F49620-01-1-0308
11. SUPPLEMENTARY NOTES		
12a. DISTRIBUTION AVAILABILITY STATEMENT DISTRIBUTION STATEMENT A: Unlimited		12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) Our ATRAP team has managed to simultaneously accumulate cold antiprotons and cold positrons. Cold antihydrogen is produced when antiprotons are repeatedly driven into collisions with cold positrons within a nested Penning trap. Efficient antihydrogen production takes place during many cycles of positron cooling of antiprotons. A first measurement of a distribution of antihydrogen states is made using a preionizing electric field between separated production and detection regions. Surviving antihydrogen is stripped in an ionization well that captures and stores the free antiproton for background-free detection. A background-free observation of cold antihydrogen atoms was made using field ionization followed by antiproton storage, a detection method that provided the first experimental information about antihydrogen atomic states. More antihydrogen atoms can be field ionized in an hour than all the antimatter atoms that have been previously reported, and the production rate per incident high energy antiproton is higher than ever observed. The high rate and the high Rydberg states suggest that the antihydrogen is formed via three-body recombination.		
20041208 270		
14. SUBJECT TERMS		15. NUMBER OF PAGES
		16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT  Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE  Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT  Unclassified
20. LIMITATION OF ABSTRACT  UL		

**Gerald Gabrielse  
Department of Physics  
Harvard University  
17 Oxford Street  
Cambridge, MA 02138**

**Award Number: F49620-01-1-0308**

**Final Report**

**on**

**Antiprotons and Cold Antihydrogen**

**DISTRIBUTION STATEMENT A**  
Approved for Public Release  
Distribution Unlimited

In 2004, we report substantial progress on "Antiprotons and Cold Antihydrogen" project funded by AFOSR. Listed below are the publications funded by AFOSR support. The topics indicate new discoveries and progress.

"Strongly Magnetized Antihydrogen and Its Field Ionization"

D. Vrinceanu, B.E. Granger, R. Parrott, H. R. Sadeghpour, L. Cederbaum, A. Mody, J. N. Tan and G. Gabrielse  
Phys. Rev. Lett. **92**, 133402 (2004).

"G. Gabrielse, et al. reply" (A reply to a Comment discusses comparing our measured field ionization spectra to theory)

G. Gabrielse, *et al.*  
Phys. Rev. Lett. **92**, 149304 (2004).

"Aperture Method to Determine the Density and Geometry of Anti-Particle Plasmas", P. Oxley, N. S. Bowden, R. Parrott, A. Speck, C. Storry, J.N. Tan, M. Wessels, G. Gabrielse, D. Grzonka, W. Oelert, G. Schepers, T. Sefzick, J. Walz, H. Pittner, T.W. Haensch and E. A. Hessels  
Phys. Lett. B **595**, 60 (2004).

"First Measurement of the Velocity of Slow Antihydrogen Atoms"

G. Gabrielse, A. Speck and C.H. Storry, D. Le Sage, N. Guise, D. Grzonka, W. Oelert, G. Schepers, T. Sefzick, H. Pittner, J. Walz, T.W. Haensch, D. Comeau, E.A. Hessels  
Phys. Rev. Lett. **93**, 073401 (2004).

"First Evidence for Atoms of Antihydrogen Too Deeply Bound to be Guiding Center Atoms"

G. Gabrielse, A. Speck, C.H. Storry, D. Le Sage, N. Guise, D. Grzonka, W. Oelert, G. Schepers, T. Sefzick, H. Pittner, J. Walz, T.W. Haensch, D. Comeau, E.A. Hessels  
Submitted for publication.

"Laser-Controlled Production of Rydberg Positronium"

A. Speck, C.H. Storry, E. Hessels and G. Gabrielse  
Phys. Lett. B **597**, 257 (2004).

"Single-Particle Self-excited Oscillator (includes application to measuring antiproton spin flips)"

B. D'Urso, R. Van Handel, B. Odom and G. Gabrielse  
Phys. Rev. Lett. (in press).

"First Laser-Controlled Antihydrogen Production"

C.H. Storry, A. Speck, D. Le Sage, N. Guise, G. Gabrielse, D. Grozonka, W. Oelert, G. Scheppers, T. Sefzick, J. Walz, H. Pittner, M. Herrmann, T.W. Haensch, E.A. Hessels and D. Comeau  
Phys. Rev. Lett. (in press).

Review paper: "Atoms Made Entirely of Antimatter: Two Methods Produce Slow Antihydrogen"

G. Gabrielse

Advances in Atomic, Molecular and Optical Physics **50** (2004).

### **Invited Talks**

There were a large number of outside lectures on AFOSR supported research during 2004.

- Jan. 13 Atomic and Molecular Interactions Group (AMIG) of the Institute of Physics, Dublin City University (invited speaker)
- Feb. 3 CERN SPSC (antihydrogen progress lecture)
- Feb. 11 University of Michigan (physics colloquium)
- Feb. 12 University of Michigan (atomic, molecular and optical physics seminar)
- Feb. 12 University of Michigan (science and religion lecture)
- Mar. 2 University of Uppsala, Sweden (Lecture on attracting students to science and teaching science so they love it)
- Mar. 3 University of Uppsala, Sweden (physics seminar)
- Mar. 4 Umeå University, Sweden (physics colloquium)
- Mar. 4 Umeå University, Sweden (atomic physics seminar)
- Mar. 9 Göteborg University, Sweden (physics colloquium)
- Mar. 9 Göteborg University, Sweden (Lecture on attracting students to science and teaching science so they love it)
- Mar. 10 Manne Sigbahn Laboratory, Stockholm (physics colloquium)
- Mar. 11 University of Stockholm, Sweden (Alba Nova colloquium)
- Mar. 12 Uppsala University, Sweden (physics colloquium)
- Apr. 19 14th American Physical Society Topical Conference on Atomic Processes in Plasmas (APiP), Santa Fe, NM (the plenary lecture)
- Apr. 22 Pluecker Lecture I, University of Bonn (physics colloquium)
- Apr. 23 Pluecker Lecture II, University of Bonn (special audience lecture)
- May 7 KVA Seminar, Groningen, The Netherlands
- May 10 Free University of Amsterdam (physics colloquium)
- May 13 Eindhoven University (physics colloquium)
- May 14 Nijmegen University (physics colloquium)
- May 15 US National Academy of Sciences CAMOS (invited lecture)
- May 17 Aachen University (physics colloquium)
- May 18 Johannes Gutenberg University and Max Planck Institute for Polymer Research, Mainz, Germany (physics colloquium)
- May 24 University of Nottingham, UK (physics colloquium)
- May 26 University of Sussex, UK (physics colloquium)

May 28 University of Liverpool, UK (particle physics seminar)  
July 27 XIX International Conference on Atomic Physics, Rio de Janeiro (invited speaker)  
Aug. 25 Laser Spectroscopy Conference, Novosibirsk, Russia (invited speaker)  
Oct. 14 Calvin College (physics colloquium)  
Nov. 16 Guelph-Waterloo Physics Institute, Guelph, Ontario (distinguished scientist lecture)  
Nov. 19 Ohio University (physics colloquium)  
Dec. 2 California Institute of Technology (physics colloquium)  
Dec. 3 California State University, Long Beach (physics colloquium)  
Dec. 9 Wesleyan University (physics colloquium)  
Dec. 16 Brookhaven National Laboratory (particle physics seminar)

**New Discoveries, Inventions, Patents: None**

**Honors/Awards:**

George Ledlie Prize, Harvard University, 2004. The Ledlie Prize is awarded approximately every two years to "the person at the University who has by research, discovery or otherwise made the most valuable contribution to science, or in any way for the benefit of mankind."

Some quotations from <http://www.hno.harvard.edu/gazette/2004/04.22/03-ledlie.html> are listed below:

"He received the award for his 'stunning' scientific accomplishment of creating antimatter, according to Provost Steven Hyman."

"As the head of an international team of physicists at CERN [European Organization for Nuclear Research], Professor Gabrielse developed the techniques to accumulate antiprotons at energies more than  $10^{10}$  times lower than previously realized," Hyman said. These techniques allow for extremely accurate measurements of the properties of matter and antimatter."

"Gerald Gabrielse's achievements in pushing back the frontiers of knowledge are nothing less than extraordinary," said Harvard President Lawrence H. Summers. "His work not only throws light on some of the fundamental questions about the nature of matter, but has also led to several technological advances in other fields, such as medicine."

"In recommending Gabrielse for the award, FAS Dean William C. Kirby explained that the goal of his experiments is to "ultimately help to solve puzzles about antimatter's presence in the universe. The spin-off technology associated with this work has been a benefit in its own right, helping advance nuclear magnetic resonance, and magnetic resonance imaging techniques.""